ResMed

Mobi™

Portable oxygen concentrator

ResMed.com/Mobi

Intelligent oxygen delivery

Mobi is designed to deliver the oxygen your patients need.

Pulse-Wave™ technology. Mobi uses Pulse-Wave™ technology to efficiently deliver the selected dose of oxygen at the right time.

Adaptive operating system. Mobi senses your patient's breathing and automatically switches between active and rest modes as activity levels change.

Automatic dosing. If breathing cannot be detected, Mobi commences automatic dosing.

Mobi standard setup pack includes the Mobi portable oxygen concentrator, Mobi carry bag, an AC/DC charger and a DC/DC charger.

Mobi from ResMed

We're proud to introduce the ResMed Mobi™ portable oxygen concentrator, the latest addition to our award-winning family of respiratory solutions. Mobi's ideal balance of oxygen, weight and battery life is designed to give patients the freedom to live an active life. And its easy-to-use interface and stylish carry bag make Mobi perfect for everyday use. Mobi is also backed by trusted ResMed service and support as well as our standard 5-year POC warranty.

For everyday living

A balance of oxygen, long battery life and stylish, lightweight design means your patients have the freedom to live an active life.

Long battery life. At 9 hours on setting 2, Mobi has one of the longest-lasting batteries* of any portable oxygen concentrator (6 hours internal battery and 3 hours per external battery).

Lightweight. Weighing only 5.5 lbs, Mobi is designed to go wherever your patients go.

Casual style. Combining style and functionality, the Mobi carry bag features a casual but sophisticated design that conceals tubing and batteries.

*Based on published reports of battery performance.

Simple to use

Mobi is designed for one-touch startup, easy setting changes and patient reassurance.

LCD display. For patient peace of mind, an easy-to-read display shows remaining battery life and when each dose of oxygen is delivered.

Clear notifications and alarms. Mobi features alerts for oxygen purity and device functionality, letting your patients know if their device needs attention.

User-friendly controls. An intuitive interface makes setting changes simple and ensures the most commonly used controls are easy to find.

ResMed

Mobi accessories

Mobi external battery
35052

Mobi backpack
35050

Filter standard/hypoallergenic
(see table below)

Mobi mounting straps (4)
35055

Nasal cannula
XYC262

Accessories sold separately.

Technical specifications

Mobi device			
Weight	5.5 lbs (2.49 kg)		
Dimensions (W x H x D)	9.60″ x 7.95″ x 4.49″ (244 mm x 202 mm x 114 mm)		
Housing construction	Flame-retardant engineering thermoplastic (unless otherwise specified)		
Air filter	Two-layered, powder-bonded, polyester non-woven fiber		
Oxygen delivery	Pulse oxygen therapy		
Device settings	1, 2, 3, 4		
Oxygen concentration	90% (-3/+6%)		
Maximum outlet pressure	29 psi (±10%)		
Battery life*	**Setting**	**Internal battery**	**External**
	1	8.6 hrs	4.5 hrs
	2	6 hrs	3 hrs
	3	3.8 hrs	1.9 hrs
	4	3.2 hrs	1.6 hrs
Sound	38 dBA (at setting 2)		

*Hours are approximate and based on a breath rate of 20 bpm. The device will operate up to the battery life (hours) specified.

Product codes

Mobi standard setup pack**	**35001**
Mobi backpack	**35050**
Mobi external battery	**35052**
Mobi mounting straps (4)	**35055**
Cannula, adult nasal	**XYC262**
Filter, standard (1pk)	**36850**
Filter, standard (2pk)	**36851**
Filter, standard (12pk)	**36852**
Filter, standard (50pk)	**36853**
Filter, hypoallergenic (1pk)	**36855**
Filter, hypoallergenic (2pk)	**36856**
Filter, hypoallergenic (12pk)	**36857**
Filter, hypoallergenic (50pk)	**36858**
AC/DC Charger	**35053**
DC/DC Charger	**XYC104**

**Mobi standard setup pack includes the Mobi portable oxygen concentrator, Mobi carry bag, an AC/DC charger and a DC/DC charger.

ResMed.com/Mobi

See ResMed.com for ResMed locations worldwide. Mobi and Pulse-Wave are trademarks and/or registered trademarks of the ResMed family of companies. For patent and other intellectual property information, see ResMed.com/ip. Specifications may change without notice. © 2018 ResMed Ltd. 10110451/2 2018-05